

Concurrency and Recovery • DBMS should enable multiple clients to access the database concurrently - This can lead to problems with correctness of data because of interleaving of operations from different clients

-->System should ensure correctness (concurrency control)

CS 525

2

Notes 12 - Transaction Management

2 IIT College of Science and Letters

1

Concurrency and Recovery

- DBMS should enable reestablish correctness of data in the presence of failures
 - -->System should restore a correct state after failure (recovery)

CS 525

Notes 12 - Transaction Management

IIT College of Science and Letters

3

Integrity or correctness of data

• Would like data to be "accurate" or "correct" at all times

> **EMP** Name Age White 52 Green 3421 Gray 1

Notes 12 - Transaction Management

4 IIT College of Science and Letters

Integrity or consistency constraints

- Predicates data must satisfy
- Examples:
 - x is key of relation R
 - $x \rightarrow y$ holds in R
 - Domain(x) = {Red, Blue, Green}
 - $-\alpha$ is valid index for attribute x of R
 - no employee should make more than twice the average salary

Notes 12 - Transaction Management

5 IIT College of Science and Letters

Definition:

CS 525

4

- Consistent state: satisfies all constraints
- Consistent DB: DB in consistent state

CS 525

6 Science and Letters

Constraints (as we use here) may
not_capture "full correctness"

Example 1 Transaction constraints

• When salary is updated,
new salary > old salary

• When account record is deleted,
balance = 0

CS 525

Notes 12 - Transaction
Management

7 Science and Letters of Science a

Note: could be "emulated" by simple constraints, e.g.,

account Acct # balance deleted?

8

10

Constraints (as we use here) may
not capture "full correctness"

Example 2 Database should reflect
real world

DB Reality

One of the constraint of the North Constraint of Th

9

© in any case, continue with constraints...

Observation: DB cannot be consistent always!

Example: a₁ + a₂ +.... an = TOT (constraint)

Deposit \$100 in a₂: ∫ a₂ ← a₂ + 100

TOT ← TOT + 100

CS 525

Notes 12 - Transaction Management 10 Science and Leither Science a


Example: $a_1 + a_2 + a_n = TOT$ (constraint)


Deposit \$100 in a_2 : $a_2 \leftarrow a_2 + 100$ $TOT \leftarrow TOT + 100$ $a_2 \quad \begin{array}{c} \vdots \\ \hline 50 \\ \vdots \\ \hline TOT \quad 1000 \end{array} \longrightarrow \begin{array}{c} \vdots \\ \hline 150 \\ \vdots \\ \hline 1000 \end{array} \longrightarrow \begin{array}{c} \vdots \\ \hline 150 \\ \vdots \\ \hline 1100 \end{array}$ CS 525

Notes 12 - Transaction Management

11 Science and Letters LUNGH INSTITUTE OF TICHNOLOGY

11 12





Correctness (informally) • If we stop running transactions, DB left consistent • Each transaction sees a consistent DB 15 IIT College of Science and Letters CS 525 Notes 12 - Transaction Management

Transactions - ACID Atomicity - Either all or no commands of transaction are executed (their changes are persisted in the DB) Consistency - After transaction DB is consistent (if before consistent) • Isolation - Transactions are running isolated from each other • **D**urability - Modifications of transactions are never lost 16 Science and Letters CS 525 Notes 12 - Transaction Management

16

14


How can constraints be violated? • Transaction bug • DBMS bug · Hardware failure e.g., disk crash alters balance of account Data sharing e.g.: T1: give 10% raise to programmers T2: change programmers \Rightarrow systems analysts IIT College of Science and Letters Notes 12 - Transaction Management

How can we prevent/fix violations? • Part 13 (Recovery): -due to failures • Part 14 (Concurrency Control): -due to data sharing 18 IIT College of Science and Letters CS 525

18

3

17



Data Items:
Data Item / Database Object / ...
Abstraction that will come in handy when talking about concurrency control and recovery
Data Item could be

– Table, Row, Page, Attribute value

Notes 12 - Transaction Management

19

Operations:

• Input (x): block containing x → memory
• Output (x): block containing x → disk

CS 525

Notes 12 - Transaction Management

21 IIT College of Science and Letters

Operations:

CS 525

20

• Input (x): block containing $x \rightarrow$ memory

• Output (x): block containing $x \rightarrow disk$

 Read (x,t): do input(x) if necessary t ← value of x in block

 Write (x,t): do input(x) if necessary value of x in block ← t

CS 525

22

Notes 12 - Transaction Management 22 Science and Letters

20 IIT College of Science and Letters

21

24

```
T1: Read (A,t); t ← t×2
Write (A,t);
Read (B,t); t ← t×2
Write (B,t);
Output (A);
Output (B);

A: 8/16
B: 8/16


Maragement

A: 8
B: 8

III College of Science and Letters

Science and Letters

LLANOS INSTITUTE OF TROPHOLOGY
```



Transactions in SQL

- BEGIN WORK
 - Start new transaction
 - Often implicit
- COMMIT
 - Finish and make all modifications of transactions persistent
- ABORT/ROLLBACK
 - Finish and undo all changes of transaction


CS 525 COMPUTER Notes 12 - Transaction 27 Scient Management SOLENCE

27 Science and Letters


27

25

Example time Bank customer transfers money BEGIN WORK; from account 9 UPDATE accounts to account 10 SET bal = bal + WHERE acc = 10; BEGIN WORK; UPDATE accounts SET bal = bal * 1.05; COMMIT; UPDATE accounts SET bal = bal 40 WHERE acc = 9; COMMIT: 29 IIT College of Science and Letters Notes 12 - Transaction Management



time Example Bank adds interest to all accounts BEGIN WORK; UPDATE accounts SET bal = bal + 40WHERE acc = 10; BEGIN WORK; UPDATE accounts SET bal = bal * 1.05; COMMIT: UPDATE accounts SET bal = bal -40WHERE acc = 9; COMMIT: 30 Science and Letters





31 32

T₁ = r₁(a₁₀), w₁(a₁₀), r₁(a₉), w₁(a₉), c₁

time

BEGIN WORK;

UPDATE accounts

SET bal = bal + 40

WHERE acc = 10;

UPDATE accounts

SET bal = bal - 40

WHERE acc = 9;

COMMIT;

CS 525

Notes 12 - Transaction
Management

33 Science and Letters

BLACK MATTER OF TOPOLOGY

 $T_1=r_1(a_{10})$, $w_1(a_{10})$, $r_1(a_9)$, $w_1(a_9)$, c_1 $T_2=r_2(a_1), w_2(a_1), r_2(a_2), w_2(a_2), r_2(a_9), w_2(a_9), r_2(a_{10}), w_2(a_{10}), c_1$ BEGIN WORK; Assume we have accounts: UPDATE accounts a₁,a₂,a₉,a₁₀ SET bal = bal + 40WHERE acc = 10; BEGIN WORK; UPDATE accounts SET bal = bal * 1.05; COMMIT: UPDATE accounts SET bal = bal -40WHERE acc = 9; COMMIT; 34 IIT College of Science and Letters CS 525 Notes 12 - Transaction Management

34

Schedules

33

- A schedule S for a set of transactions
 T = {T₁, ..., T_n} is an partial order over
 operations of T so that
 - $\boldsymbol{-}\,\boldsymbol{S}$ contains a prefix of the operations of each T_i
 - Operations of Ti appear in the same order in S as in Ti
 - For any two conflicting operations they are ordered

25 Notes 12 - Transaction Management 35 Science and Letters

LILINOIS INSTITUTE OF TECHNOLOGY

Note


• For simplicity: We often assume that the schedule is a total order

CS 525

Notes 12 - Transaction Management 36 Science and Letters*

IT College of Science and Letters

35 36



CS 525

COMPUTER
SCIENCE

Notes 12 - Transaction
Management

37
Science and Letters
LINDER INSTRUCT OF TICHNOLOGY

Conflicting Operations Two operations are conflicting if At least one of them is a write Both are accessing the same data item Intuition The order of execution for conflicting operations can influence result!

IIT College of Science and Letters

37 38

Conflicting Operations

- Examples
 - $-w_1(X)$, $r_2(X)$ are conflicting
 - $-w_1(X)$, $w_2(Y)$ are not conflicting
 - $-r_1(X)$, $r_2(X)$ are not conflicting
 - $-w_1(X)$, $w_1(X)$ are not conflicting

CS 525 Notes 12 - Transaction 39 IIT College of Science and Letters Science and Letters

Complete Schedules = History

Notes 12 - Transaction Management


- A schedule S for T is complete if it contains all operations from each transaction in T
- We will call complete schedules **histories**

CS 525

40

CS 525 COMPUTER Notes 12 - Transaction Management 40 Science and Letters LILINGE INSTITUTE OF TRANSACTION LILINGE INSTITUTE OF TRANS

39



 $T_1 = r_1(a_{10}), w_1(a_{10}), r_1(a_9), w_1(a_9), c_1$ $T_2 = r_2(a_1), w_2(a_1), r_2(a_2), w_2(a_2), r_2(a_9), w_2(a_9), r_2(a_{10}), w_2(a_{10}), c_2$ Conflicting operations• Conflicting operations $w_1(a_{10})$ and $w_2(a_{10})$ • Order of these operations determines value of a_{10} • S1 and S2 do not generate the same result $S_1 = ... w_2(a_{10}) ... w_1(a_{10})$ $S_2 = ... w_1(a_{10}) ... w_2(a_{10})$ Notes 12 - Transaction Management $A_2 = \frac{\text{IIT College of Science and Letters}}{\text{Science and Letters}}$ **IIT College of Science and Letters Removed to the support of the second sec

41 42

Why Schedules?

- Study properties of different execution orders
 - Easy/Possible to recover after failure
 - Isolation
 - --> preserve ACID properties
- Classes of schedules and protocols to guarantee that only "good" schedules are produced

CS 525



Notes 12 - Transaction Management

